

Chemical & Safety Product Guide 2023



281-486-8661 | 1-877-486-8661
www.HuntonDistribution.com

Condenser Coil Cleaners

Brand	Item #	Name	Type	Features	Size
Nu-Calgon	4290-75	Nu-Blast	Solvent	No-Rinse No Residue	18 oz.
	4190-08	Cal-Green	Eco-Friendly	Suited for Microchannel	1 gal.
	4291-08	Nu-Brite	Alkaline	High Foaming	1 gal.
	4178-08	Foam-Brite	Alkaline	Ultra Foaming	1 gal.
DIVERSITECH	PRO-BLUE	MasterCare PRO-BLUE	Alkaline	High Foaming	1 gal.
	PRO-KLEEN	MasterCare PRO-KLEEN	Acid	Non- Hydrofluoric	1 gal.
VIPER	RT300G	Viper Brite	Alkaline	High Foaming	1 gal.
	RT310V	Venom Pack Brightener & Cleaner	Alkaline	Pure Concentrate	33 oz. Pouch



Evaporator Coil Cleaners

Brand	Item #	Name	Type	Features	Size
Nu-Calgon	4171-75	Evap Foam No Rinse	Alkaline	Self-Rinsing NSF Registered	18 oz.
	4168-08	Evap Pow'r-C	Metal-Safe Alkaline	No-Rinse	1 gal.
	4166-75	Evap Fresh No-Rinse	Germicidal Disinfectant	No-Rinse Cleaner & Deodorant	18 oz.
	4166-08			Kills 99.9% of Germs	1 gal.
VIPER	RT350G	Viper Evap+	Enzyme Cleaner	No-Rinse	1 gal.
	RT320V	Venom Pack Evaporator	Enzyme Cleaner	Pure Concentrate	36 oz. Pouch



Universal Coil Cleaners

Brand	Item #	Name	Type	Features	Size
Nu-Calgon	4371-75	Tri-Power HD	Alkaline Detergent- Degreaser- Deodorizer	Suited for Microchannel	19 oz.
	4371-88			1 gal.	
	4186-24	Green Clean	All Purpose Cleaner	Biodegradable & Environmentally Friendly	1 qt.
	4186-08			1 gal.	
	4133-08	Cal-Brite Plus	Glycolic & Fluorosilicic Acid	Safer Alternative to Hydrofluoric Acids	1 gal.
DIVERSITECH	TRIPLE-D	MasterCare Triple-D®	Detergent- Degreaser- Deodorizer	Suited for Microchannel	1 gal.
VIPER	RT390G	Viper Heavy Duty	Multipurpose Cleaner & Degreaser	No-Rinse	1 gal.
	RT340V	Venom Pack All Purpose	All Purpose Cleaner	Pure Concentrate	36 oz. Pouch



Ductless Coil Cleaners



Brand	Item #	Name	Features	Size		
Item # 4151-18 Complete Care Mini Split Kit Contains Below:						
Nu-Calgon	4371-75	(2) Tri-Pow'r® HD Aerosol	Detergent-Degreaser-Deodorizer	19 oz.		
	4185-95	(1) Gel Tabs Mini™	Slim-Profile Pan Tab for Ductless Units	2 pk.		
	4150-01	(1) Clean Guard™ Maintenance Bag	For Ductless Heads up to 12,000 BTU	50" Wide		
				(1) Nu-Calgon Service Bucket	For Rinse Collection	5 gal.
Reusable Replacement Bags	4150-01	Clean Guard™ Maintenance Bag	For Ductless Heads up to 12,000 BTU	50" Wide		
	4150-02	Clean Guard™ XL Maintenance Bag	For Ductless Heads from 12,000 to 18,000 BTU	62" Wide		
	4150-03	Clean Guard™ CC Maintenance Bag	For Ductless Cassette Units	Full & Mini		

Coil Protectants & Coatings



Brand	Item #	Name	Type	Features	Size
Nu-Calgon	4148-32	Cal-Shield	Molecular Film Coating	Repels Water, Grease, Oil, Dirt, & Grime	1 qt.
	4148-08	Coil Protectant			1 gal.
	4083-91	DuraCoil Aerosol	Gray Heresite Coating	Extends Coil Life in a Corrosive Environment	11 oz.
GulfCoat® <small>contractor series</small>	80401	Modine GulfCoat®	Blue Water-Based Coating	Moisture Resistance, UV Protection, and Corrosion Resistance	12 oz.

Cal-Shield is a synergistic liquid specifically designed for application on finned heating and cooling coils, where it forms a micro-thin or molecular film.

Once Cal-Shield is applied to the cleaned coil, it forms a protective shield that helps the coil resist the depositing of dirt and grime so that moisture will "bead up" and run off.

Indoor Air Sanitizers & Odor Neutralizers




Bio-Fresh CD is a ready-to-use bacteriostat, fungistat and deodorizer based upon chlorine dioxide technology. It is recommended for control of bacteria, mold, mildew, fungi and yeast in IAQ applications. Its EPA registration includes application in HVACR ventilating equipment, including coils, condensate pans, filters and duct-work.

Brand	Item #	Name	Type	Features	Size
Nu-Calgon	4126-34	Bio-Fresh CD	Bacteriostat	For Fogging or Spraying	18 oz.
	4126-38		Fungistat		1 gal.
		4693-0	Fogger Tool	Heavy-duty fogger w/ 48" flexible hose to apply chemicals into duct-work. Adjustable from 0 - 18 oz. per minute.	

ClenAir & CherryAir eliminates odors caused by smoke, mold, mildew, stale air, sewer gas, pets, and more. They are unique odor neutralizers, not a perfumes or cover-ups. Use one to two pounds for every 400 sq. ft.

Brand	ClenAir Original	CherryAir	Size
Nu-Calgon	61001	61010	1/2 lb.
	61004	61013	3 lb.
	61005	61015	10 lb.

Ice Machine Cleaners & Sanitizers

Brand	Item #	Name	Type	Features	Size
	4287-34	Nickel-Safe Ice Machine Cleaner	Citric/Phosphoric	Acceptable for Use in Manitolwoc and other Nickel Applications	16 oz.
	4287-08		Food-Grade Cleaner		1 gal.
		4211-34	IMS-III Sanitizer	Bacteria & Mold Inhibitor	No-Rinse EPA Registered




Nickel-Safe Cleaner

IMS-III

Descalers

Dynamic Descaler® is a non-toxic, biodegradable chemical that is safer to use than any other descaling products. It can dissolve approximately 1.5kg of calcium carbonate scale per gallon in concentrated form. It does not need to be heated during cleaning. The uniqueness of the Dynamic Descaler® allows you to clean certain equipment while still operational, resulting in less downtime. Use it on:

- Heat Exchangers
- Condensers
- Boilers
- Furnaces
- Cooling Tower Fills
- Piping
- Vacuum Pumps
- Chillers
- Other Water-Cooled Equipment


Brand	Item #	Name	Features	Size
	PD-DESCALER-5	Dynamic Descaler®	Biodegradable	5 gal.
	PD-DESCALER-55		Superior Corrosion Inhibitors Powerful Detergents	55 gal.



Glycols

Ethylene Glycol is a heat transfer fluid specifically designed to provide freeze protection as low as -100° F. It contains inhibitors providing optimum protection against ferrous metals commonly found in industrial cooling and heating systems. Use de-ionized water to minimize unacceptable hardness of minerals. Available in various percentages; shipped at 95% unless otherwise specified.



Propylene Glycol Arctic Protection is specifically designed to provide burst and freeze protection for chilled water, hydronic, and other closed systems at temperatures as low as -100° F. All ingredients are generally recognized as safe (GRAS) in addition to being non-toxic, noncorrosive, and safe for other closed systems where potable water exists. Available in various percentages; ships at 70% unless otherwise specified. Is inhibited unless specified by customer request.

Brand	Item #	Type	Concentration %	Size
	EG-5	Ethylene Glycol	95% *	5 gal.
	EG-55			55 gal.
	AP-5	Propylene Glycol	70% *	5 gal.
	AP-55			55 gal.

* Other concentration percentages and colors are available on request



Drain Pan Repair

Brand	Item #	Name	Type	Features	Size
	641-14	Pan-Kote	Rubberized Coating	Dries in 20 to 30 minutes	14 oz.
	PANPATCH	Pan-Patch™ Two-Part Epoxy	Self-Leveling Epoxy	Pours Through Standing Water	1 gal.
	285987	T-REX® Waterproof Flexible Repair Tape	Butyl-Based Adhesive	Can Be Used Underwater	4" x 5'



641-14



PANPATCH



285987

Pan-Patch™ is a unique two-part epoxy that adheres to almost any surface, including metal, wood and concrete. It pours through standing water to create a permanent bond to stop leaks or holes in drain pans with long lasting results. . And it also includes an anti-microbial additive to eliminate future mold growth. Pan-Patch has a self-leveling formula that will provide a smooth, even coat.

Condensate Management



Drain Solve

Nu Line

Brand	Item #	Name	Type	Features	Size
Nu-Calgon	4165-24	Drain Solve	Alkaline-Based Pours Through Standing Water	Removes grease, hair and other organic matter	1 qt.
	4165-08	Drain Opener			1 gal.
RECTORSEAL	97685	Nu Line AC Drain Line	Enzyme-Based Alternative to Tabs	Removes slime buildup & keeps drain lines open	8 oz.
	97690	Maintenance Liquid			32 oz.

Gel Tabs are formulated with a gel locking technology. Condensation turns the tablet into gel and locks it into place. This ensures that the tab will not move and potentially block the drain. Gel Tabs are designed to completely dissolve at an even rate over a 3 month period.

Multiple Gel Tabs can be combined to achieve the proper treatment for larger systems.



Brand	Item #	Name	Treats	Size
Nu-Calgon	4296-60	Pan-Treat® Condensate Tablets	2 Tablets per Ton	200 pk.
	4185-95	Gel Tabs Mini™	1.5 Tons	2 pk.
	4185-03	Gel Tabs™ - Red	3 Tons per Tab	12 pk.
	4185-04			200 pk.
	4185-05	Gel Tabs™ - Blue	5 Tons per Tab	6 pk.
	4185-06			100 pk.
	4185-15	Gel Tabs™ - Green	15 Tons per Tab	1 pk.
	4185-20	Gel Tabs™ - Yellow	20 Tons per Tab	1 pk.

System Flushing



4300-08

4300-10

Rx11 Pressurized Starter Kits

Brand	Item #	Description	Contents
Nu-Calgon	4300-08	Rx11 Flush Starter Kit	Includes 1 lb. Can, Hose, Gun, & Valve 4300-09, 4300-52, 4300-51, 4300-89
	4300-10	Rx11 2+1 Kit	Includes (2) 2 lb. Cans & Valve (2) 4300-11 & (1) 4300-89

Rx11 Replacement Cannisters



Brand	Item #	Size
Nu-Calgon	4300-09	1 lb. Cannister
	4300-11	2 lb. Cannister
	4300-15	13 lb. Cannister
	4300-26	26 lb. Cannister

Rx11 Injection Tools

Item #	Description	Image
4300-51	Gun Nozzle	
4300-52	Flush Hose	
4300-50	Line Set Cone Flush Tool	
4300-89	Injection Valve	



Pro-Flush uses industry-standard nitrogen to deliver dual-purpose blended solvent. The Pro-Flush® Kit consists of a reusable injection tank (with built-in 200psi pressure relief valve), nitrogen charging hose, injection tool assembly and one 8 oz can of Pro-Flush® Solvent. The trigger injector on the tool assembly assures more efficient use of the solvent by allowing infinite control of the flushes rather than the less efficient method of flushing in one long burst.

Non-Pressurized Kits & Refills

Brand	Item #	Contents
DIVERSITECH	PF-KIT	Includes Reusable Tank, Hose, Nozzle, and 8oz. Solvent
	PF-16	16oz. Solvent Refills

Refrigerants

Legacy Refrigerants

Refrigerant	Type	Application	Lubricant	Item #	Size
R-11	CFC	Low Pressure Centrifugal Chillers	Mineral Oil or Alkylbenzene	R11-100#	100 lbs.
R-22	HCFC	Refrigeration, Air Conditioning, Chillers	Mineral Oil or Alkylbenzene	R22-30#	30 lbs.
R-123	HCFC	Low Pressure Centrifugal Chillers	Mineral Oil or Alkylbenzene	R123-100#	100 lbs.
R-134A	HFC	Medium Temp Refrigeration, Chillers, Auto A/C	Polyolester	R134A-30#	30 lbs.
R-404A	HFC Blend	Low/Medium Temp Refrigeration	Polyolester	R404A-24#	24 lbs.
R-410A	HCFC Blend	Newer DX A/C systems	Polyolester	R410A-25#	25lbs.



R-22 Retrofit Alternatives

Refrigerant	Type	Features	Lubricant	Item #	Size
R407C	HFC Blend	Similar Capacity & Efficiency in AC Applications	Replace Mineral Oil with POE following manufacturer's guidelines	R407C-25#	25 lbs.
MO99 (R438A)	HFC Blend	Similar Capacity & Efficiency, no Oil Change	Mineral Oil, Alkylbenzene, and POE lubricants	MO99	25 lbs.
TdX-20 (R-458A)	HFC Blend	No Capacity Loss, No Oil Change, 1-Year Warranty	Mineral Oil or POE	TDX-20	30 lbs.




R-410a Replacements (No Retrofit)

Refrigerant	Type	Features	Lubricant	Item #	Size
R32	HFC (A2L Mildly Flammable)	Similar Capacity & Slightly Better Efficiency than R410A	POE	R32-20#	20 lbs.
R454B	HFC Blend (A2L Mildly Flammable)	Similar Performance to R410A, Lower GWP than R32	POE	R454B-20#	20 lbs.



UV Dyes & Dye Removers

Brand	Item #	Description	Size
COOLAIR PRODUCTS	TR1058.01.P1	Brilliant Fluorescent UV Dye	1/4 oz.
	TR1108.K.01	Brilliant UV Dye Remover	34 oz.
Nu-Calgon	4050-51	EasyDye Connect Inject	.1 oz.
	4155-01	Connect Inject Tool	

Brilliant works with all refrigerants including CFC, HFC, HCFC, R32, and R1234yf. Treats up to 6 tons per 1/4 oz. tube.

Brilliant Remover cleaner removes any trace of leak detector dye. Must be directly sprayed on the residues of leak detector dye.

EasyDye will work with all commercially available oils, and it is perfect for split systems, heat pumps, microchannel coils, packaged units and mini-splits. Treats up to 6 tons per tube.




Refrigerant Leak Detection

Brand	Item #	Description	Size
Nu-Calgon	4184-53	Fluorescent Gas Leak Detector	8 oz. w/ Dauber
	4184-24	UV LED Flashlight & Glasses (100,000 hours / 390-395nM)	1 Quart
	4050-15	UV LED Flashlight & Glasses (100,000 hours / 390-395nM)	1 Quart
WIPER	RT175B	Big Blue Micro Leak Detector	8 oz. w/ Dauber
	RT100S	Big Blue Micro Leak Detector	32 oz.
	RT100G	Big Blue Micro Leak Detector	1 Gallon
Swagelok	SNOOP	Leak Detector: 27° to 200°F Range	8 oz.
	SNOOP-1	Leak Detector: 27° to 200°F Range	1 gal.

Fluorescent Gas Leak Detector has a high viscosity formula, that remains in contact with the applied surface for an extended period of time, thereby allowing the smallest of leaks to be detected.



Find leaks with Nu-Calgon's UV flashlight and fluorescence enhancing glasses. For use with UV dyes and fluorescent gas leak detectors.



Big Blue – The Original Big Blu leak detector is the only bubble solution capable of detecting gas leakage down to 0.65 ounces per year. Use on any gas, including Oxygen.



Snoop® Liquid Leak Detector - Find small, hard-to-reach leaks with Snoop®, featuring a flexible snooper tube and sustained bubbling action.

Refrigerant Leak Sealant

External Sealants



HS32050



210

Brand	Item #	Description	Features
HIGH SIDE CHEMICALS INC.	HS32050	PatchRite Instant HVAC/R Patch 2-Part Bonding Fluid & Micro Cells	Permanently seals holes in all metals and rigid plastics Full cure in 20 minutes - Rated at 1800psi Handles 200°F (93.3°C) continuous temperature
COOL AIR PRODUCTS	210	AC SmartSeal External	Effectively seals leaks up to 5mm and 825 psi. It is suitable to apply to any material; Inert to all lubricants and refrigerant gases.

Internal Sealants

AC SmartSeal™ 3-in-1 product includes Sealant, Cool Enhancer and UV Dye.

- No need to pump down R-410A units
- Re-usable tool



322BP

322WO

333

Brand	Item #	Description	Treats
	322BP	Kit with Cartridge and Hose	Up to 6 Tons
COOL AIR PRODUCTS	322WO	Quickshot Refill Cartridge	
	333	Smart Adapter Hose Allows for injection without the use of manifold gauges	
Nu-Calgon	4050-08	EasySeal Ultimate Direct Inject	2 - 10 Tons
	4050-11	UV EasySeal Ultimate Direct Inject	2 - 7.5 Tons


A/C EasySeal is easily injected, travels with the refrigerant, searching for leaks. Proven not to plug TXVs, cap tubes or pistons.

- No injection hose or caulk gun needed
- No need to pump down the system
- One-time use - quick and easy injection



Pro Charge cans contain roughly 2 pounds of refrigerant pre-blended with UV dye & sealant, designed to service systems up to 6 tons. The refrigerant in each can is the perfect amount to top off equipment with seasonal leaks. The UV dye & sealant is an oil based non-polymer blend that does not chemically react with air or moisture, so it only activates at the source of the leak and no where else!

Refrigerant with UV Dye & Sealant

Brand	Item #	Description	Size
PRO CHARGE	4019	R22 with UV Dye & Sealant	1.9 lbs.
	4125	R410A with UV Dye & Sealant	1.8 lbs.
	4507	Pro Charge Hose with Gauge	

Refrigeration Oils




Item # YJ-77940



Max-Flow™ Oil Pump
Remove oil for recovery and conversion - Add oil to existing systems - Pumps against 200 psi pressure - Universal stopper automatically adjusts to all standard openings in 1, 2-1/2 and 5 gallon oil containers

Type	Wholesale Equivalent	OEM Trane Item #	Size	Features / Formulation	Viscosity	Systems Where Used
Mineral	4303-07 3-CS	OIL00042	1 gal.	Anti-Wear Additive	150 SUS / ISO 32	R-22
		OIL00045	1 gal.	Anti-Wear Additive	300 SUS / ISO 68	R-22
	4304-07 4-CS	OIL00015	1 gal.		300 SUS / ISO 68	R-12 & R-22
		OIL00022	2.5 gal.		300 SUS / ISO 68	R-11, R-12, R-123
		OIL00031	1 gal.		300 SUS / ISO 68	R-22
Polyolester	4316-86 RL32HB	OIL00078	1 qt.	Anti-Wear Additive	150 SUS / ISO 32	R-134a, R-404A, & R-407C
	4314-46 RL32H	OIL00080	1 gal.		150 SUS / ISO 32	R-410a
		OIL00037	1 gal.		300 SUS / ISO 68	R-134a & R-407c
	4316-46 RL68H	OIL00049	5 gal.		300 SUS / ISO 68	R-134a
		OIL00048	1 gal.		300 SUS / ISO 68	R-134a
		OIL00379	1 gal.	Icematic	500 SUS / ISO 100	R514a
	N/A	OIL00380	1 gal.	Solest	600 SUS / ISO 120	R134a & R513a

System Rejuvenation



Brand	Item #	Description	Installs with
 Nu-Calgon	4057-55	4 oz. Liquid Bottle	YJ-69562 Oil/Dye Injector
	A/C Re-New	4057-56	4 oz. Connect Inject

A/C Re-New provides energy savings by reducing compressor friction (lowers amp draw), quiets noisy systems, extends system life, and resolves sticking valves. It is a lubricant that blends with the system's oil, and has been successfully used to aid oil return when retrofitting R-22 systems with a new refrigerants.



Acid Testing & Burnout Cleanup

Acid Tests



Brand	Item #	Description
 QwikProducts	QT2000	QwikCheck® 2 Second Acid Test
 Nu-Calgon	4320-W8	Phase III Refrigeration Oil Acid Test Kit

QwikCheck® Detects inorganic acid in 2-seconds, down to 1 part per million. The yellow to red color change allows you to easily show the need for action to the equipment owner. Works with all refrigerants & oils.



Phase III works with mineral oil, alkylbenzene, POE, and PVE oils. Precise - POE's with acidity less than 0.16 mg are acceptable and cause no change in color. Unlike many tests, Phase III works in the presence of fluorescent dyes.

Acid Remediation Chemicals





Brand	Item #	Description	Installs with	
 Nu-Calgon	4301-02	2 oz. Liquid Bottle	YJ-69652 Oil/Dye Injector	
	Rx-Acid Scavenger	4301-05	3.8 oz. Pressurized Cannister	4300-89 Injection Valve
		4301-06	Connect Inject Rx Acid Scavenger	4155-01 Connect Inject Tool
 RECTORSEAL	45004	2 oz. Liquid Bottle - Mineral Oil Systems	YJ-69562 Oil/Dye Injector	
	Acid Away®	45009	2 oz. Liquid Bottle - POE Systems	

Rx-Acid Scavenger neutralizes acid in air conditioning systems after burnouts, or during normal system maintenance. Addresses up to one gallon of system oil per dose. For use with all lubricants - mineral, alkylbenzene, POE, and PVE.



Acid-Away® is approved & recommended by OEMs, and is compatible with all common compressors. Suited for preventative maintenance to avoid burnouts from acid buildup. Eliminates the need for flushing systems with solvents.

Thread, Gasket, & O-Ring Sealants

Brand	Item #	Description	Size
 LOCTITE	88551	LOCTITE® 565™ White Threadlocker	50ml
	135354	LOCTITE® 242™ Blue Liquid Threadlocker	10ml
	135479	LOCTITE® 515™ Flange Sealant	50ml
	88541		300ml
 DOW CORNING	13228	Dow Corning® High Vacuum Grease	5.3 oz.
 HIGHSIDE CHEMICALS INC.	HS10001	Leak Lock® Joint Sealing Compound	1.5 oz.
	HS10004		4 oz.
 NYLOG	RT200RP	Nylog RED Sealant for CFC/HCFC Systems	30 ml. 2 pk.
	RT201BP	Nylog BLUE Sealant for all Systems	30 ml. 2 pk.

LOCTITE® 565™ is a low strength, high viscosity thread sealant designed for the locking and sealing of metal pipes and fittings

LOCTITE® 242™ Medium Strength Threadlocker doesn't migrate once applied, and is intended for fasteners that require normal disassembly with standard hand tools.

LOCTITE® 515™ Flange Sealant is an industrial gasketing product for machined, rigid metal flanges. Provides a perfect seal with gaps up to 0.25 mm.

Dow Corning® High Vacuum Grease is a silicone-based, translucent white-grey grease for use in sealing and lubricating. A stiff, non-melting silicone material, it seals and lubricates valves, bearings, gaskets, O-rings, and vacuum and pressure systems.

Leak Lock® is a resin-based, brushable paste which remains permanently flexible, adheres to surfaces, and fills voids. It should be applied to threaded joints, flanged joints, gasket surfaces and all mating surfaces where a fluid-tight or gas-tight seal is required.

Gaskets coated with **Nylog** will never dry or become heat fixed to a surface. Coating threaded connections with Nylog will prevent high pressure leaks by forming a hydraulic seal. It also can be used as a high tack assembly lube when installing shaft seals, o-rings, schraeder valves, ball valves, unloaders or other components.

Lubricants, Cleaners & Degreasers



Brand	Item #	Description	Size
Degreasers & Cleaners			
	03120	CRC Heavy-Duty Degreaser ii	15 oz.
	03130	CRC QD® Electrical Contact Cleaner	11 oz.
	135544	LOCTITE® Gasket Remover	18 oz.
	GSL26	Klean-Strip™ Denatured Alcohol Solvent Cleaner	1 gal.



Penetrants			
	03020	CRC Knock'er Loose® Penetrating Solvent	13 oz.
	WD-40	49004 WD-40 General Purpose Lubricant / Penetrant	11 oz.



Lubricants			
	CO-1	Pull-A-Spout Oiler	4 oz.
	CR-1	Rust Breaker Lubricant	4 oz.
	03160	Ultra Lite 3-36® Ultra Thin Non Staining Lubricant	11 oz.
	03005	3-36® Multi-Purpose Lubricant & Corrosion Inhibitor	11 oz.
	03282	SP-400 Long-Term Corrosion Inhibitor	10 oz.
	SL3190	Sta-Plex™ Extreme Pressure Premium Red Grease	14 oz. Tube
	199012	LOCTITE® LB 8150 Silver Grade Anti-Seize w/ Brush Top	8 oz.
	POLYREX EM	Mobil Polyrex™ EM Blue Grease	13.7 oz.
	1134	Lincoln Heavy-Duty Pistol Grip Grease Gun	

Miscellaneous Chemicals



Pipe-Dri is an aerosol insulation which provides a moisture barrier to stop sweating and dripping on refrigeration lines, air conditioning lines, and other cold surfaces. Quickly adheres and dries to a hard water proof coating.

Pipe Insulation Spray			
Brand	Item #	Description	Size
	4297-76	Pipe-Dri Piping Insulation Spray	14 oz.

Enforcer Wasp & Hornet Killer shoots a 20-foot jet blast for instant knockdown of wasps, hornets, and yellow jackets.



Wasp & Hornet Spray			
	EWHIK16	Enforcer Wasp & Hornet Killer	16 oz.



CRC Zinc-It® is a >93% pure zinc, sacrificial coating that protects ferrous metals from oxidizing. The high purity, zinc-rich formula creates a galvanic barrier between the environment and the base metal to prevent the formation or spread of rust and corrosion.

General Purpose & Insulating Paints			
	V2404	Flat Black General Purpose Enamel Spray Paint	12 oz.
	18412	Zinc-It® Instant Cold Galvanize™ Coating	13 oz.

Smoke Candles quickly and efficiently produce a dense white smoke ideal for testing smoke exhaust fans, checking for leaks in ductwork, chimneys and sewer pipes and determining air flow patterns.



Smoke Products			
	ZS301A	#1A Smoke Candle - 4,000 Cubic Feet of Smoke in 30 Seconds	1.5" x 1.5"
	QT2330	QwikSmoke™ Universal Smoke Alarm Test Gas	2.9 oz.



QwikSmoke® Universal Smoke Alarm Test Gas is a universal smoke alarm test gas. Designed for use with all smoke detectors; with and without functional test mode capability; battery operated or hard wired. Fast, reliable and easy to use - takes less than 30 seconds for most detectors.

Vacuum Pump Oil

Brand	Item #	Type	Size
NAVAC	VO1Q	Premium Mineral Vacuum Pump Oil	1 qt.
	VO1G		1 gal.
APPION	TEZOM	Premium Synthetic Vacuum Pump Oil	8 oz.
	TZMGLN		1 gal.
Fieldpiece	OIL8X3	Fieldpiece Vacuum Pump Oil 3pk. - Fits VPX7, VP87 and VP67	(3) 8 oz.



Appion Premium Synthetic Blend improves vacuum pump performance and provides greater protection to internal pump components. It also lasts up to 8 times longer than mineral oil.



Cleaning Products

Brand	Item #	Name	Size
Bulk Rags	RAGS-5#	White T-Shirt Rags - Punchout Box	5 lbs.
	RAGS-SURG-5#	Blue Lint Free Surgical Rags - Punchout Box	5 lbs.
Kimberly-Clark	34790	WypAll® General Clean X60 Multi-Task Cleaning Cloths	126 pk.
Nu-Calgon	4162-01	Dragon Towels: Lint-Free, Heavy-Duty Towels	100 pk.
	4185-75	Great Wipes Hand Towels - Pumice & Premoistened	75 ct.
Permatex	25122	Fast Orange® – Pumice Squeeze Bottle Hand Cleaner	15 oz.
DIVERSITECH	DC-4128	Canvas Drop Cloth - Washable & Reusable	4' x 12'
	DC-9128		9' x 12'
	SC-1WP	Waterproof Shoe Covers	50 pair



RAGS-5#



RAGS-SURG-5#



34790



4162-01



4185-75



25122



DC-4128



SC-1WP

Safety Supplies

Gloves

Brand	Item #	Type	Size
CLC WORK GEAR	2337L	Black Nitrile Powder-Free Gloves - 100pk.	L
	2337XL		XL
	2009	Brown Jersey Gloves w/ PVC Gripper Dots	Univ.
	2038M	Touch Screen Gripper -	M
	2038L	Nylon/Spandex with	L
	2038XL	Nitrile Palm Coating	XL
	125M	Flex Grip® Handyman™	M
	125L	Padded Palms & Touch	L
	125XL	Screen Fingertips	XL



Eye, Ear, & Respiratory Protection

Image	Item #	Type
	SG-NV30CB	Smoke Colored Anti-Fog Lens with Camo Frame
	SG-NV30CC	Clear Anti-Fog Lens with Camo Frame
	APL00378	Clear Frameless Safety Glasses
	APL00346	MAX-30 Polyurethane Foam Earplugs w/ Cord
	APL00492	3M Cool Flow Universal N100 Particulate Respirator

Knee & Back Protection

Brand	Item #	Type	Size
CLC WORK GEAR	V231	Deluxe Foam Kneepads	Univ.
	V237	Swivel Cap Kneepads	Univ.
	302	Industrial Kneeling Mat	8" x 18"
	5000M	Elastic Back Support Belt	M
	5000L		L



MasterLock® Portable Lockout / Tagout Kit

Item # 1457E410KA - Contains:

Qty.	Description
1	Durable Lockout Toolbox
3	Zenex™ padlocks
1	Circuit Breaker Padlock
1	Lockout Hasp
1	Red Labeled Snap-On Lockout Hasp
3	Standard Circuit Breaker Lockouts
2	Tall / Wide Circuit Breaker Lockouts
1	Wall Switch Cover
12	"Do Not Operate" Safety Tags



Chemical Tools

Sprayers, Pumps, & Foggers



Brand	Item #	Size
DIVERSiTECH	BS-32	32 oz. Spray Bottle
	1002	48 oz. Hand Held Compression Sprayer
	2601	1 Gallon Wand Compression Sprayer
	540-573	Hot/Cold Spray Nozzle
Nu-Calgon	4774-0	Coil Gun w/ 5 Mix Ratio Settings
	61238	50' Hot Water Hose
	4693-0	Heavy-Duty Fogger w/ 48" Flexible Hose

Condensate Cleanout Tools



LineShot™ clears drain lines with a burst of CO₂ from a 16g cartridge. It includes an fitting compatible with Schrader valves, and a tapered fitting for 3/8" – 3/4" drain openings.

Sludge Blaster® attaches to a standard 1/4" service hose. Pressure expands it inside the drain pipe, and blasts the sludge free. Pipe capacity: 3/4" to 1" I.D.



A/C Drain Sucker Kit clears clogs from inside using pressure, or at the end of drain line using suction. No need for CO₂ or nitrogen.

Brand	Item #	Size
RECTORSEAL	81980	LineShot™ CO ₂ Drain Clearing Tool (3/8" to 3/4" Lines)
	81981	LineShot™ 16g CO ₂ Refill Cartridges - 12pack
UNIWEIRD	40061	Sludge Blaster® (3/4" to 1" Pipes) Standard 1/4" Service Hose Connection
Nu-Calgon	61308	A/C Drain Sucker Kit - Pressure or Suction Capability



Goodway Technologies offers the largest selection of complete maintenance and cleaning solutions

**Tube Cleaning • Coil Cleaning • Cooling Tower Cleaning
Descaling Systems • Duct Cleaning • Pressure Washing**



Nylon (for Soft Deposits) & Spin-Grit (for Light Scale) Brushes

Blue Nylon Brushes (Threaded)		
Size	Model	Part #
1/4"	GTC-211-1/4	BRU00202
3/8"	GTC-211-3/8	BRU00186
7/16"	GTC-211-7/16	BRU00205
1/2"	GTC-211-1/2	BRU00188
5/8"	GTC-211-5/8	BRU00169
9/16"	GTC-211-9/16	BRU00168
3/4"	GTC-211-3/4	BRU00171
7/8"	GTC-211-7/8	BRU00206
1"	GTC-211-1	BRU00189

Blue Nylon Brushes (Quick Connect)		
Size	Model	Part #
7/16"	GTC-211Q-7/16	BRU00263
1/2"	GTC-211Q-1/2	BRU00260
5/8"	GTC-211Q-5/8	BRU00177
9/16"	GTC-211Q-9/16	BRU00176
3/4"	GTC-211Q-3/4	BRU00179
7/8"	GTC-211Q-7/8	BRU00264
1"	GTC-211Q-1	BRU00187



Dual Diameter Spin Grit Brushes (Threaded)		
Size	Model	Part #
1/2"	ESGB-050	BRU00193
5/8"	ESGB-062	BRU00184
3/4"	ESGB-075	BRU00194
1"	ESGB-100	BRU00190

Dual Diameter Spin Grit Brushes (Quick Connect)		
Size	Model	Part #
1/2"	ESGB-Q-050	BRU00214
5/8"	ESGB-Q-062	BRU00215
3/4"	ESGB-Q-075	BRU00216
1"	ESGB-Q-100	BRU00217

GOODWAY® Tube Cleaning



RAM-4 - The Original Rotary Tube Cleaner

The fourth generation RAM-4 includes an array of interchangeable cleaning tools designed for a variety of situations. The cleaning tool safely and effectively scours debris away without damaging tube walls. A casing around the shaft feeds water to the rotating tool, flushing out deposits as they are loosened. Features:

- Stainless steel construction
- Quick connect threadless shaft manifold
- Integrated dolly
- Simultaneous water flush
- Foot switch activation
- Reversible shaft rotation

Item # TOL01746 (RAM-4-60-R)

RAM4 Replacement Shafts



Shafts for Threaded Brushes (7/16" to 1/2" Tubes)		
Size	Model	Part #
25'	GTC-702-25	SHF02760
35'	GTC-702-35	SHF02761
45'	GTC-702-45	SHF02767

Shafts for Threaded Brushes (9/16" to 1" Tubes)		
Size	Model	Part #
25'	GTC-703-25	SHF02734
35'	GTC-703-35	SHF02735
45'	GTC-703-45	SHF02737

Shafts for Quick Connect Brushes (7/16" to 1/2" Tubes)		
Size	Model	Part #
25'	GTC-702Q-25	SHF02770
35'	GTC-702Q-35	SHF02771
45'	GTC-702Q-45	SHF02772

Shafts for Quick Connect Brushes (9/16" to 1" Tubes)		
Size	Model	Part #
25'	GTC-703Q-25	SHF02745
35'	GTC-703Q-35	SHF02746
45'	GTC-703Q-45	SHF02779

Index

Acid Cleanup	8	Ice Machine Cleaners	4
Acid Tests	8	Injection Tools	5,7,8
Air Sanitizers	3	Knee Protection	10
Alcohol (Denatured)	9	Leak Detection	6
All-Purpose Cleaners	2	Leak Sealant	7
Back Braces	10	Lockout/Tagout Kits	10
Brushes (Tube)	11	Lubricants	9
Cleaning Products	10	Odor Neutralizers	3
Coatings	3	Oil Injectors	8
Coil Cleaners	2	Oil Pumps	7
Coil Coatings	3	Oilers	9
Coil Protectants	3	Oils	7,10
Condensate Cleanout Tools	11	Paint	9
Condensate Tabs	5	Pan Repair	4
Contact Cleaner	9	Penetrants	9
Corrosion Inhibitors	9	Pipe Insulation Spray	9
Degreasers	9	Rags	10
Descalers	4	Refrigerant Leak Detection	6
Drain Line Chemicals	5	Refrigerant Leak Sealant	7
Drain Pan Repair	4	Refrigerants	6
Drop Cloths	10	Refrigeration Oil	7
Ductless Coil Cleaners	3	Respirators	10
Ductless Condensate Tabs	5	Safety Glasses	10
Ear Protection	10	Safety Supplies	10
Electrical Contact Cleaner	9	Sealants	8
Flushes	5	Shoe Covers	10
Foggers	11	Smoke Test Products	9
Fogging Chemicals	3	Sprayers	11
Galvanizing Paint	9	System Flush	5
Gasket Material	8	System Rejuvenation	8
Gasket Remover	9	Tagout/Lockout Kits	10
Glasses	10	Thread Sealant	8
Gloves	10	Towels	10
Glycols	4	Tube Brushes	11
Grease	9	Tube Cleaning	11
Grease Gun	9	UV Dyes & Removers	6
Hand Cleaner	10	Vacuum Grease	8
Hand Wipes	10	Vacuum Pump Oil	10
Hoses	5,7,11	Wasp Spray	9
Hose Nozzles	11	Water Hoses	11

3 LOCATIONS FOR ALL YOUR HVAC NEEDS

North Houston
16335 Central Green Blvd.

West Houston
10560 Bissonnet St. STE #100

South Houston
735 FM 1959 (Dixie Farm Rd.)

281-486-8661
www.HuntonDistribution.com