



## Climate Pro X14



- Air-cooled unit with 13,200 BTU
- Operates on standard 115v power
- Operates from 70°F to 113°F
- Three-speed fan and adjustable nozzles for versatile cooling comfort
- Digital controls and auto operation: for 24/7 programmable backup of central systems
- Moisture removal: hastens drying for humid and water-damaged areas. Removes up to 131 pints of moisture per day
- [Learn More](#)



## Climate Pro K18




- Air-cooled unit with 16,800 BTU
- Operates on 20amp 115v power
- Ideal for server rooms
- Provides cooling down to 65°F - operates up to 95°F
- Digital controls and auto operation: for 24/7 programmable backup Moisture removal: Removes up to 163 pints of moisture per day
- [Learn More](#)



## Climate Pro D12 Heat Pump



- Air-cooled unit with 11,450 BTU cooling / 9,900 BTU heat
- Operates on standard 115v power
- Provides cooling down to 65°F - operates up to 95°F
- Digital controls and auto operation: for 24/7 programmable backup of systems
- [Learn More](#)



## DryMax XL LGR Dehumidifier




- 125 PPD @ 80°/60% RH (AHAM)
- 115V 1PH @ 7.7A
- Operates from 33°F to 110°F
- Bluetooth technology, you can monitor your drying jobs from anywhere when you use your the DryLINK app.
- Small, stackable form factor for maximum portability.
- Lightweight 88lbs
- 300 CFM
- 16" x 17.5" x 24"
- [Learn More](#)



## OWC18 Water-Cooled



- 18,000 BTU of cold air
- Space saving, quiet, and powerful
- A water cooled unit does not require condenser air ducting. Instead, the rejected heat is transferred by the piped or hosed water leaving the unit.
- Operates on standard 115v power
- Deluxe Electronic Controller with Large LED Display
- Automatic and Manual 6-Speed Fan Control
- Internal Water-Cooled Condensing Circuit
- Quick Connect hose fittings for fast and easy set up
- Automatic Condensate Pump with Overflow Alert
- [Learn More](#)



## KwiKool KP05



- Air-cooled unit with 60,000 BTU
- 208V/230V 1PH @ 50A/60A
- 460V- 3PH @ 20A
- Operates from 60°F to 110°F
- Small footprint that is ideal for difficult applications.
- Low ambient condensing temperature controls utilizing Variable frequency drive technologies.
- 3500 CFM
- 32" x 48" x 49" with 6" Wheels
- [Learn More](#)



## KwiKool KP012



- Air-cooled unit with 135,000 BTU
- 208V/230V 3PH @ 80A
- 460V- 3PH @ 50A
- Operates from 60°F to 110°F
- Small footprint that is ideal for difficult applications.
- Low ambient condensing temperature controls utilizing Variable frequency drive technologies.
- 8500 CFM
- 32" x 64" x 60" with 8" Casters
- [Learn More](#)

## Need A Larger Solution?



Whether it's extra cooling needed during extreme weather conditions or a short-term replacement following an emergency, businesses sometimes require equipment to cool, heat, or power an indoor environment on a temporary basis. Hunton Distribution can do that and more, delivering fast, reliable, and cost-effective solutions when you need them.